

BOQ

Sub: Covering of AC drain pipe.

Sr.no	Description of Item	Qty.	Unit	Rate	Amount
1/21.1.1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass/ stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :				
a	For Fixed portion				
	Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	60	Kg		
NS	Providing and fixing 3mm thick aluminium composite pannels of approved make. color and shade fixed with all necessary fastners/ stell screws, and decording silicon on existing wall/ coloumn (in all sizes and height) complete in all respects as specified in architectural drawing and to the directions/entire satisfaction of engineer in charge	100	sqm		

Contractor