

Sign plates required for Animal Facility:

Steel Plates:

(54)

1. Office
2. Conference Room
3. Changing Area
4. Feed Store
5. Bedding Store
6. Zebra Fish Room
7. Procedure Room-1
8. Procedure Room-2
9. Clean Area (6)
10. Dirty Area (4)
11. Clean Bedding (1)
12. Clean Cage (2)
13. Handicapped Toilet
14. Clean Corridor (3)
15. Dirty Corridor (7)
16. Electric Distribution Room
17. Dirty Lift (3)
18. Clean Lift (3)
19. Staff Lift (3)
20. Sample Collection
21. Sample Processing Lab.
22. Animal Room-11
23. Animal Room-12
24. Animal Room-13
25. Animal Room-14
26. Animal Room-15
27. Animal Room-16
28. Animal Room-17
29. Animal Room-18
30. Restricted Entry

Plastic - In Red Color: (Glow Sign)




(17)

1. Entry to Clean Area (3)
2. Restricted Corridor
3. No Entry (6)
4. Emergency Exit Only

5. - Fire Extinguisher (6)

Glow Sign Plates:

(38)

5. Fire Duct (6)
6. Electrical Duct (6)
7. Exit  (8)
8. Exit  (8)
9. Exit  (8)
10. Staircase (2)