

## List of Electrical items

### Terms and Conditions :

- 1 All items to be strictly according to the make, specifications & model mentioned, any other make or model will be summarily rejected in quotation.
- 2 If any item is found to be fake/duplicate/chinese, the entire order will be cancelled.
- 3 If there is any doubt regarding any item please enquire before quoting price.
- 4 If some item does not fit, the supplier has to change and provide the part as per our fitting.
- 5 Please quote only in the format below.
- 6 The firm has to be an authorised distributor/retailer of at least five companies out of Philips/Crompton Greaves (CG) /Osram /Havells /Schneider /ABB /L&T / Polycab / Ecko /Bonton/Finolex/Anchor/Wipro products of which they are quoting. Copy of authorisation certificate from the company to be attached.

| S. No. | Name of item                | Make             | Model   | Qty | Price per unit | Total |
|--------|-----------------------------|------------------|---------|-----|----------------|-------|
| 1      | Anchor fastener (plated) 4" | Hiltop           | Hilltop | 100 |                |       |
| 2      | Tube Starter 20-65W         | Philips          |         | 200 |                |       |
| 3      | Batten nail                 | CK               |         | 50  |                |       |
| 4      | Battery water, 5 ltr        |                  |         | 15  |                |       |
| 5      | Lamp 150 W HPSV screw type  | Crompton Greaves |         | 50  |                |       |

|    |                                |                   |                        |     |  |  |
|----|--------------------------------|-------------------|------------------------|-----|--|--|
| 6  | Lamp 70 W HPSV screw type      | Crompton Greaves  |                        | 50  |  |  |
| 7  | Choke 70W HPSV                 | Crompton Greaves  |                        | 20  |  |  |
| 8  | Choke 150W HPSV                | Crompton Greaves  |                        | 15  |  |  |
| 9  | Ballast Electronic 36/40 W     | Philips           | Sumo Slim EB-FS 136    | 50  |  |  |
| 10 | PVC Conduit Pipe 1.25" lengths | AKG/Diplast       |                        | 25  |  |  |
| 11 | PVC Conduit Pipe 1" lengths    | AKG/Diplast       |                        | 45  |  |  |
| 12 | Metal halide lamp,150W         | Philips/CG/Osram  |                        | 25  |  |  |
| 13 | PVC bend 1"                    | AKG/PK/Diplast    |                        | 10  |  |  |
| 14 | PVC bend 0.75"                 | AKG/PK/Diplast    |                        | 5   |  |  |
| 15 | PVC Tape roll                  | Steel Grip        |                        | 10  |  |  |
| 16 | Batten 1"                      | AKG/PK/Diplast    |                        | 200 |  |  |
| 17 | Batten 0.5"                    | AKG/PK/Diplast    |                        | 200 |  |  |
| 18 | DP 20A                         | Havells,Schneider |                        | 15  |  |  |
| 19 | DP 32A                         | Havells,Schneider |                        | 15  |  |  |
| 20 | Wall Plug (Best Quality)       | CK                |                        | 30  |  |  |
| 21 | Cable gitti 6mm(Best Quality)  | CK                |                        | 15  |  |  |
| 22 | Cable gitti 10mm(Best Quality) | CK                |                        | 20  |  |  |
| 23 | CFL 13W 2Pin                   | Philips           | Master PL-C 13W/865/2P | 50  |  |  |
| 24 | CFL 18W 2Pin                   | Crompton Greaves  | 18WXP2U65              | 100 |  |  |
| 25 | CFL 9W 2Pin                    | Philips           | Ecotone PL-S865/2P     | 25  |  |  |
| 26 | CFL 18W 4Pin                   | Philips           | Ecotone PL-C 865/4P    | 70  |  |  |

|    |   |                        |                       |     |  |  |
|----|---|------------------------|-----------------------|-----|--|--|
| 27 | CFL 18W with in built choke                                   | Philips                |                       | 25  |  |  |
| 28 | Bulb 60W Pin type   | Philips                |                       | 100 |  |  |
| 29 | CFL 23w with in built choke                                   | Philips                | Essencial             | 12  |  |  |
| 30 | CFL 14W with in built choke                                   | Philips                | Genie                 | 10  |  |  |
| 31 | CFL 11W with in built choke                                   | Philips                | Genie                 | 10  |  |  |
| 32 | CFL 8W with in built choke                                    | Philips                | Genie                 | 10  |  |  |
| 33 | CFL 8w with in built choke Screw type                         | Philips                |                       | 15  |  |  |
| 34 | CFL 14w with in built choke Screw type                        | Philips                |                       | 15  |  |  |
| 35 | CFL 11w 2 pin   | Philips                |                       | 30  |  |  |
| 36 | Choke 13w copper  | Philips                |                       | 10  |  |  |
| 37 | 250 Watt HPSV IP65 Flood light fitting complete with bulb etc | CG/Philips             |                       | 1   |  |  |
| 38 | 150 Watt MH IP65 Flood light fitting complete with bulb etc   | CG/Philips             |                       | 2   |  |  |
| 39 | Switch MCCB 100A  | ABB/Schneider/L&T      |                       | 2   |  |  |
| 40 | Switch MCCB 200A  | ABB/Schneider/L&T      |                       | 1   |  |  |
| 41 | CFL 18W 4Pin  | Osram                  | FPL18EX-8             | 25  |  |  |
| 42 | Choke 18W copper  | Philips                | C8421K/100,1XTLD 18/1 | 20  |  |  |
| 43 | Single core PVC insulated copper wire 1.5sq mm (green)        | Finolex,Bonton,Havells |                       | 4   |  |  |
| 44 | Single core PVC insulated copper wire 1.5sq mm (red)          | Finolex,Bonton,Havells |                       | 10  |  |  |
| 45 | Single core PVC insulated copper wire 1.5sq mm (black)        | Finolex,Bonton,Havells |                       | 10  |  |  |
| 46 | Single core PVC insulated copper wire 2.5sq mm (green)        | Finolex,Bonton,Havells |                       | 8   |  |  |
| 47 | Single core PVC insulated copper wire 2.5sq mm (red)          | Finolex,Bonton,Havells |                       | 2   |  |  |

|    |  |                        |                        |     |  |  |
|----|--|------------------------|------------------------|-----|--|--|
| 48 | Single core PVC insulated copper wire 2.5sq mm (black) | Finolex,Bonton,Havells |                        | 2   |  |  |
| 49 | Ring type Aluminium thimble 10 sq mm                   | Dowell                 |                        | 50  |  |  |
| 50 | Ring type Aluminium thimble 16 sq mm                   | Dowell                 |                        | 50  |  |  |
| 51 | Ring type Aluminium thimble 25 sq mm                   | Dowell                 |                        | 100 |  |  |
| 52 | Ring type Aluminium thimble 50 sq mm                   | Dowell                 |                        | 50  |  |  |
| 53 | Ring type Aluminium thimble 70 sq mm                   | Dowell                 |                        | 100 |  |  |
| 54 | TPN Box (to fit only 1 TPN) metal type 4 way           | ABB/ Schnieder         |                        | 5   |  |  |
| 55 | Tool bag 14"x10"x7" thick canvas black                 |                        |                        | 20  |  |  |
| 56 | TPN 32A  | ABB, Schneider         |                        | 2   |  |  |
| 57 | TPN 63A  | ABB, Schneider         |                        | 12  |  |  |
| 58 | TP 63A   | ABB, Schneider         |                        | 2   |  |  |
| 59 | MCB 20Amp  | Schnieder              |                        | 10  |  |  |
| 60 | Tube Rod 36W   | Philips                |                        | 70  |  |  |
| 61 | Tube Rod 28W   | Philips                |                        | 200 |  |  |
| 62 | Tube Rod 54W   | Philips/Wipro          |                        | 15  |  |  |
| 63 | Choke 54W  | Wipro                  | Cat no. 2055,WBF73502B | 5   |  |  |
| 64 | Switch 10A   | Anchor Roma            |                        | 50  |  |  |
| 65 | Switch 20A   | Anchor Roma            |                        | 70  |  |  |
| 66 | Socket 10A   | Anchor Roma            |                        | 70  |  |  |
| 67 | Socket 20A   | Anchor Roma            |                        | 70  |  |  |
| 68 | MCB 6A   | Schneider              |                        | 20  |  |  |

|    |  |                     |                     |    |  |  |
|----|--|---------------------|---------------------|----|--|--|
| 69 | Choke 18 watt for 4 pin CFL                    | Philips             | EBW 218 PLC/T       | 20 |  |  |
| 70 | CFL 45W Screw type                             | Osram               | Duluxstar HO 2900lm | 20 |  |  |
| 71 | 3 Core,2.5 sq mm, flexible PVC insulated cable | Bonton/Polycab/Ecko |                     | 1  |  |  |
| 72 | 250 W HPSV Lamp screw type                     | Philips/CG/Osram    |                     | 70 |  |  |
| 73 | 250 W HPSV choke                               | Crompton Greaves    |                     | 25 |  |  |
| 74 | Ignitor for above                              | Crompton Greaves    |                     | 40 |  |  |
| 75 | Capacitor for 250W HPSV                        | Epcos               |                     | 40 |  |  |
| 76 | Ignitor HPSV                                   | Crompton Greaves    | IGN2K-70            | 15 |  |  |
| 77 | Choke 18 watt                                  | Wipro               | Cat no. WBP541181   | 10 |  |  |
| 78 | 23/76 Twisted pair or flat cable               | Tekson              |                     | 1  |  |  |
| 79 | Plug Top 16A,3 pin                             | Anchor              |                     | 40 |  |  |
| 80 | Plug Top 5A,3 pin                              | Anchor              |                     | 40 |  |  |
| 81 | Switch 6A                                      | ABB                 |                     | 15 |  |  |
| 82 | Switch 25A,2 Module                            | ABB                 |                     | 15 |  |  |
| 83 | Switch 16A                                     | ABB                 |                     | 15 |  |  |
| 84 | Socket 16A,2 module                            | ABB                 | CPWWS2166           | 15 |  |  |
| 85 | Socket 16A,3 module                            | ABB                 |                     | 15 |  |  |
| 86 | Fan Regulator                                  | ABB                 | CPW2SF              | 10 |  |  |
| 87 | Bell Push                                      | ABB                 | CPW106BL            | 10 |  |  |
| 88 | Switch 20A                                     | MK                  | Blenze              | 25 |  |  |
| 89 | Socket 20A                                     | MK                  | Blenze              | 25 |  |  |

|     |  |                          |                  |    |  |  |
|-----|--|--------------------------|------------------|----|--|--|
| 90  | 28W Tube Light Fitting                       | Philips                  | TMS 022ixTL5 28w | 30 |  |  |
| 91  | 36W Tube Light Fitting                       | Philips                  | Mirolta slim     | 10 |  |  |
| 92  | Choke 11w                                    | Philips                  | CB 993x/11       | 20 |  |  |
| 93  | Choke 36w                                    | Philips                  | Bonsai neo       | 20 |  |  |
| 94  | Choke 28w                                    | Philips                  |                  | 50 |  |  |
| 95  | Tube Rod 14w, 2'                             | Philips                  |                  | 50 |  |  |
| 96  | Telephone cable 2 pair                       | Finolex                  |                  | 1  |  |  |
| 97  | Telephone wire gitti                         | CK                       |                  | 10 |  |  |
| 98  | Copper ballast 36/40W                        | Philips                  |                  | 20 |  |  |
| 99  | Buzzer                                       | Anchor                   |                  | 10 |  |  |
| 100 | Allen key set 1/16"-3/8"                     | Taparia                  |                  | 2  |  |  |
| 101 | Hammer,500g,Sledge/club type,both sides flat | Hira or eq               |                  | 2  |  |  |
| 102 | Wooden screw 1.5"                            |                          |                  | 30 |  |  |
| 103 | Wooden screw 2"                              |                          |                  | 5  |  |  |
| 104 | CFL 36W 4pin                                 | Philips/CG/Osram         |                  | 30 |  |  |
| 105 | CFL 11w holder Screw type                    | Philips                  |                  | 15 |  |  |
| 106 | Cable tie 6"                                 |                          |                  | 2  |  |  |
| 107 | Cable tie 10"                                |                          |                  | 2  |  |  |
| 108 | Water geyser Element, 3 KW                   | Standard, Theeta,Hotzone |                  | 80 |  |  |
| 109 | Water geyser Element, 2 KW                   | Standard, Theeta         |                  | 30 |  |  |
| 110 | Thermostat Long, 270 cm                      | Expo/equalent            |                  | 30 |  |  |

|     |   |                       |                       |    |  |  |
|-----|---|-----------------------|-----------------------|----|--|--|
| 111 | Thermostat Short,185 cm                                   | Expo/equalent         |                       | 80 |  |  |
| 112 | 8M Modular box PVC  | roma/great white      |                       | 5  |  |  |
| 113 | 12M Modular Box PVC                                       | roma/great white      |                       | 2  |  |  |
| 114 | 3 M Modular PVC Box                                       | roma/great white      |                       | 57 |  |  |
| 115 | 6 M Modular PVC Box with plate                            | roma/great white      |                       | 50 |  |  |
| 116 | 3 M Modular PVC plate                                     | roma/great white      |                       | 28 |  |  |
| 117 | Capacitor 20 MicroF                                       | epcos                 |                       | 10 |  |  |
| 118 | Capacitor 10 MicroF                                       | Epcos                 |                       | 15 |  |  |
| 119 | Flexible Pipe 1.25"                                       | SK                    |                       | 2  |  |  |
| 120 | Flexible Pipe 0.75"                                       | SK                    | 50 mts                | 5  |  |  |
| 121 | Flexible Pipe 1"  | SK                    | 30 mts                | 2  |  |  |
| 122 | Choke for 2X36w TL fitting electronic                     | Philips               | EB-T236TLD,TRANSALUME | 5  |  |  |
| 123 | Choke for 2X28w TL fitting electronic                     | Philips               | EB-T228TL5,TRANSALUME | 5  |  |  |
| 124 | Long screw driver,1' rod,double sided                     | Taparia               |                       | 20 |  |  |
| 125 | Tester, green, thin                                       | Taparia               |                       | 20 |  |  |
| 126 | Drill bit 12 " long,10-12 mm dia,4 locking head, long cut | Dewalt                |                       | 2  |  |  |
| 127 | Drill bit 6mm dia   | Dewalt                | DW00702-B1 or eqv     | 10 |  |  |
| 128 | LED Driver,15-22W,220-240v,50hZ,300Ma,output 470mA        | Twinkle/Philips/Wipro |                       | 5  |  |  |
| 129 | CFL,18W,4Pin  | Philips master or eq  | PL-L 18W/865/4P       | 40 |  |  |
| 130 | Electronic ballast for 2X18W,TC-L,TC-DEL,TC-TEL           | Wipro Sigma or eq     | WBP90218              | 15 |  |  |

|     |  |         |  |    |                  |  |
|-----|--|---------|--|----|------------------|--|
| 131 | Switch 32A,240V,DP type in bakelite          | ABB     | CPW2321DPL                             | 5  |                  |  |
| 132 | Lamp 70W,2 pin                               | Philips | Philips Master colour<br>CDM-T 70W/942 | 6  |                  |  |
| 133 | Junction dabbi round cover PVC standard size |         |  | 50 |                  |  |
|     |  |         |  |    | TOTAL            |  |
|     |  |         |  |    | TAX @            |  |
|     |  |         |  |    | Any Addl.Charges |  |
|     |  |         |  |    | _____            |  |
|     |  |         |  |    | GRAND TOTAL      |  |