



# INDIAN INSTITUTE OF SCIENCE EDUCATION AND RESEARCH MOHALI

(Established by Ministry of Human Resource Development, Govt. of India)  
Sector-81, Knowledge city, PO-Manauli, SAS Nagar Mohali-140306, Punjab

Website : [www.iisermohali.ac.in](http://www.iisermohali.ac.in) Ph. 0172-2293118-19 ,Fax- 0172-2240124, e-mail: [stores@iisermohali.ac.in](mailto:stores@iisermohali.ac.in)  
PAN No - AAAAI1781K. TAN No. -PTLI10692D

IISER Mohali

Speed post/ E-mail/CPPP

IISERM(183) 13/14 Pur.

27<sup>th</sup> October 2013

## **NOTICE INVITING QUOTATION**

Dear Sir

Sealed Quotations alongwith the SAMPLE are invited on behalf of Director IISER Mohali for the purchase of following items so as to reach latest by 12<sup>th</sup> November 2013 before 1 pm. The Quotations will be opened on the same day at 4 pm in the presence of tenderers, if any :-

Sr	Description	Qty
1.	<b>TABLE</b> Table top: pre laminated post formed MDF board, 18mm thick, 650mm X 910mm. Table top should be at a height of 750mm from the ground. Frame: CRCA pipe, 18G, 25X50mm and 25X25mm as the support structure. Reading lamp (LED, 5W), permanently mounted on the table in a raised hood. Switch for the lamp should be at the base of the hood. The lamp should be mounted 400mm above the table top. In built plug point to support up to 2A current at 220V AC. Plug to be located at the base of the hood. <b>ALONGWITH SAMPLE.</b>	80
2.	<b>CHAIRS</b> Seat/backshell : The sheet backshell is made up of 1.2 cm thick hotpressed plywood laminate with natural veneer in shade of teak. Back size : 40.5cm [W] x 40.5 cm [H], Seat size for 43cm [ W ] x 39 cm [ D ]. Tabular understructure : The understructure is made up of MS tube of dia 1.6 cm x 14 G thickness and black coated. It is to be fitted with black injection ferrule and support features. <b>ALONGWITH SAMPLE.</b>	100

NB :- Quantity may be increased or decreased. Quotation without sample will not be considered.

Yours faithfully,  
Sd/-  
(Mukesh Kumar)  
Assistant Registrar (S&P)

INSTRUCTIONS

- x Inquiry will be sent by UPC/Courier/Speed Post and IISER Mohali will not be liable for any kind of Postal delay.
- x The Quotation should be addressed to the Director IISER Mohali invariably giving on the envelop Reference No. with date and Due date with time.
- x One time importers from China with custom made specifications are highly discouraged.
- x The quantity mentioned in this inquiry is and shall be deemed to be only approximate and will not in any manner be binding on the Institute.
- x Firms will quote separately for each article.
- x The rates offered should be FOR Chandigarh in case of firms situated outside Chandigarh and free delivery at the Institute premises in case of local firms.
- x In case of Ex-godown terms the amount of packaging forwarding freight etc should clearly be indicated by percentage or lump sum amount. Current rate of sales Tax/VAT must be mentioned.
- x In case of foreign consignment CIF/FOB should be mention clearly. THE INSTITUTE IS EXEMPTED FROM EXCISE AND CUSTOM DUTY.
- x SALES TAX :- This Institute is not exempted from the payment of Sales Tax/Service Tax/VAT. The rate (i.e. percentage of Sales Tax should be clearly indicated included or excluded) wherever chargeable.
- x The delivery period should be specifically stated. Ex-stock and earlier delivery may be preferred.
- x The firms are requested to give detailed description and specifications together with the detailed drawings, printed leaflets and literature of the Article quoted. The name of the manufactures and country of manufacture should also invariably be stated in the absence of these particulars the quotation is liable for rejection.
- x Samples wherever asked for will not be paid for these should be delivered in the office of the undersigned securely labeled and packed. In case of terms who submit the samples through Railways/Road transport the freight should be prepaid and RR should be in favour of Stores and Purchase of IISER Mohali.
- x Quotation should have minimum validity of 60 days from the date of opening.
- x The rates quoted should be in metric units otherwise your quotation is liable to be ignored.
- x Late or delayed quotation will not be accepted.
- x The right to reject all or any of the quotation and to split up the requirements or relax any or all the above conditions without assigning any reason is reserved.