${\rm BOQ}$

S. No	DSR Ref	Description of Items	Qty	Unit	Rate	Amount
1	0 100	Providing and fixing aluminium handles ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade with necessary screws etc. complete :				
	9.100.1	125 mm	16	each		
2	9.103	Providing and fixing bright finished brass 100 mm mortice latch and lock ISI marked with six levers and a pair of anodised (anodic coating not less than grade AC 10 as per IS: 1868) aluminium lever handles with necessary screws etc. complete (Best make of approved quality).	8	each		
3	21.1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixed with rawl plugs and screws or with fixing clips, or with expansion hold fasteners including necessary filling up of gaps at junctions, at top, bottom and sides with required PVC/neoprene felt etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing and paneling to be paid for separately):				
	21.1.2.1	Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	155.00	kg		
4	NS	Sliding roller for making sliding arrangement of aluminum doors	8.00	nos		
5	NS	P/f ACP sheet thickness 5mm, PVDF coating, weather resistance, impact resistance etc. including neuprene/PVC etc the direction of Engineer-in-charge.	14.00	Sqm		
		Total				

Contractor