

भारतीय विज्ञान शिक्षा एवं अनुसंधान संस्थान मोहाली

मानव संसाधन विकास मंत्रालय, भारत सरकार द्वारा स्थापित सैक्टर-81,नॉलेज सिटी,प॰ ओ॰ मनोली, एस॰ ए॰ एस॰ नगर,मोहाली, पंजाब 140306 INDIAN INSTITUTE OF SCIENCE EDUCATION AND RESEARCH MOHALI (Established by Ministry of Human Resource Development, Govt. of India) Sector-81, Knowledge city, PO-Manauli, SAS Nagar Mohali-140306, Punjab PAN No. - AAAAI1781K GSTIN No:- 03AAAAI1781K2ZS

Phone : +91-172-2240086 & 2240121 • Fax : +91-172-2240124, 2240266 • http://www.iisermohali.ac.in • Email: <u>stores@iisermohali.ac.in</u>

CPPP/Institute Website

IISERM (1366)20/21Pur

Dated: 09th April 2020

NOTICE INVITING E-TENDER

Online tenders are invited on behalf of Director, IISER Mohali in <u>TWO BID SYSTEM</u> for Supply & Installation of Bunk Bed with Upper & Lower Berth as per technical specification and details given below and BOQ list from the original manufacturer/supplier at CPPP i. e. https://eprocure.gov.in/eprocure/app. Tender documents may please be downloaded from the E-procurement portal website https://eprocure.gov.in/eprocure/app& Institute website www.iisermohali.ac.in.

> -sd-(Mukesh Kumar) Assistant Registrar (P&S)



भारतीय विज्ञान शिक्षा एवं अनुसंधान संस्थान मोहाली

मानव संसाधन विकास मंत्रालय, भारत सरकार द्वारा स्थापित सैक्टर-81,नॉलेज सिटी,प॰ ओ॰ मनोली, एस॰ ए॰ एस॰ नगर,मोहाली, पंजाब 140306 INDIAN INSTITUTE OF SCIENCE EDUCATION AND RESEARCH MOHALI (Established by Ministry of Human Resource Development, Govt. of India) Sector-81, Knowledge city, PO-Manauli, SAS Nagar Mohali-140306, Punjab

PAN No. - AAAAI1781K GSTIN No:- 03AAAAI1781K2ZS

Phone : +91-172-2240086 & 2240121 • Fax : +91-172-2240124, 2240266 • http://www.iisermohali.ac.in • Email: stores@iisermohali.ac.in

E-TENDER NOTICE

Tender Ref IISERM(1366)19/20Pur	Dated :- 09 th April 2020
---------------------------------	--------------------------------------

Critical Date Sections

Sr.	Description	Date	Time
1.	Tender Publishing Date and time	09th April 2020	6:00pm
2.	Tender Document download start Date & Time	09th April 2020	6:00pm
3.	Bid Submission start Date & Time	09th April 2020	6:00pm
4.	Bid Submission End date and Time	14 th May 2020	Up to 11:00am
5.	Tender opening Date and Time	15 th May 2020	At 11:30am

Online tenders are invited on behalf of Director, IISER Mohali in TWO BID SYSTEM {Technical and commercial separately} for the following item(s) from the original manufacturer/supplier at CPPP i.e. https://eprocure.gov.in/eprocure/app. Tender documents E-procurement may please be downloaded from the portal website https://eprocure.gov.in/eprocure/app& Institute website www.iisermohali.ac.in.Tender fee in shape of DD/Banker Cheque of Rs 590/- (Non-refundable) and EMD of Rs. 62,000/- should be submitted by DD /Banker Cheque/FDR/ Bank Guarantee in favour of the Registrar, IISER Mohali payable at Mohali. However, scanned copy of the both tender fee and EMD should be upload on website along with technical bid part. The hard copy of the same in original to be send to the address mentioned below duly superscribing the supply/work name and reference/ tender ID on the envelope and same must reach before opening the bid and if not received within due date the bid will be rejected summerly.

The Original EMD and Tender Fee should be sent to:

Assistant Registrar (P&S) Indian Institute of Science Education and Research Mohali Sector-81, Knowledge City, SAS Nagar, Mohali, Punjab, India, Pin: 140306

Non-receipt of original EMD and Tender Fee will lead to rejection of tender.

 Supply & Installation of Bunk Bed with Upper & Lower Berth <u>Technical Specifications:</u> a) Overall all size: 2195mm L (including Ladder) x 985mmD x 1985mm Ht b) Lower Berth/ Platform Height: 450mm (from floor level) c) Upper Berth/ Platform Height: 1510mm (from floor level) (Tolerance +/- 10mm) 1) Bunk bed should be supplied in KDS (Knock – Down Structure) form and shall b assembled at site. 2) Main structure or vertical Columns (4nos) made out of 50 dia x 1.2mm thick CRCA tube Longitudinal or length wise beams should be made of 60mmx40mm x1.2mm CRCA tube (2nos for upper berth and 2nos for lower berth) and transverse or breadth wise beam should be made of 60mmx40mm x1.2mm CRCA tube (2nos for upper berth and 2nos for lower berth) and transverse or breadth wise beam should be made of 60mmx40mm x1.2mm CRCA tube (2nos for upper berth and 2nos for lower berth) and transverse or breadth wise beam should be made of 60mmx40mm x1.2mm CRCA tube (2nos for upper berth and 2nos for lower berth) and transverse or breadth wise beam should be made of 60mmx40mm x1.2mm CRCA tube (2nos for upper berth and 2nos for lower berth) and transverse or breadth wise beam should be made of 60mmx40mm x1.2mm CRCA tube (2nos for upper berth and 2nos for lower berth) and transverse or breadth wise beam should be made of 60mmx40mm x1.2mm CRCA tube (2nos for upper berth and 2nos for lower berth) and transverse or breadth wise beam should be made of 60mmx40mm x1.2mm CRCA tube (2nos for upper berth and 2nos for lower berth) and transverse or breadth wise beam should be made of 60mmx40mm x1.2mm CRCA tube (2nos for upper berth and 2nos for lower berth)
 a) Overall all size: 2195mm L (including Ladder) x 985mmD x 1985mm Ht b) Lower Berth/ Platform Height: 450mm (from floor level) c) Upper Berth/ Platform Height: 1510mm (from floor level) (Tolerance +/- 10mm) 1) Bunk bed should be supplied in KDS (Knock – Down Structure) form and shall b assembled at site. 2) Main structure or vertical Columns (4nos) made out of 50 dia x 1.2mm thick CRCA tube Longitudinal or length wise beams should be made of 60mmx40mm x1.2mm CRCA tube (2nos for upper berth and 2nos for lower berth) and transverse or breadth wise beam
 b) Lower Berth/ Platform Height: 450mm (from floor level) c) Upper Berth/ Platform Height: 1510mm (from floor level) (Tolerance +/- 10mm) 1) Bunk bed should be supplied in KDS (Knock – Down Structure) form and shall b assembled at site. 2) Main structure or vertical Columns (4nos) made out of 50 dia x 1.2mm thick CRCA tube Longitudinal or length wise beams should be made of 60mmx40mm x1.2mm CRCA tub (2nos for upper berth and 2nos for lower berth) and transverse or breadth wise beam
 assembled at site. 2) Main structure or vertical Columns (4nos) made out of 50 dia x 1.2mm thick CRCA tube Longitudinal or length wise beams should be made of 60mmx40mm x1.2mm CRCA tub (2nos for upper berth and 2nos for lower berth) and transverse or breadth wise beam
Longitudinal or length wise beams should be made of 60mmx40mm x1.2mm CRCA tub (2nos for upper berth and 2nos for lower berth) and transverse or breadth wise beam
lower berth).
3) The upper and lower platform should be provided with 11mm thick BWR ply. To platform should be for mattress size 75" x 35" and lower platform for mattress size 75" z 35". Each platform should be supported underneath with 5 nos 25mmx25mm CRCA tubes. The platform should have depth of 20mm to prevent the slip of mattress from al four sides.
4) Head bow of the lower and upper berth should be 450mm high from the platform or berth and made of 2nos horizontal CRCA tube of 25mm dia x 1.2mm thickness and provide with 3 nos verticals tube made of 12mm dia x 1.2mm thick CRCA tube.
5) Leg bow of the lower berth should be 225mm high and made of 1no horizontal CRCA tube of 25mm dia x 1.2mm thickness and provided with 3 nos verticals tube made of 12mm dia x 1.2mm thick CRCA tube.
6) Leg bow of upper berth should be 225mm high and 365 mm wide made of 25mm dia 1.2mm tube and having radius at one side. It is also work as hand support for climbing th ladder for upper berth.
7) Upper berth should be provided with both sides railing length wise made of 25mm dia x 1.2mm tube and provided with 3 nos verticals tube made of 12mm dia x 1.2mm thick CRCA tube. Railing should be 225mm high.
8) The main structure of bunk bed should be fixed with help of MS hex nuts, metal insert nuts and stainless steel M8 hex bolts. The railing should be fixed with M8 Allen bolts Open end of verticals columns should be provided with nylon caps on top and nylon sho at bottom. There should be no open holes and the same should be provided with nylon caps.
9) All the steel components are pre-treated for de-greasing, de-rusting and phosphating. After proper pre-treatment, the steel components should be Polyster epoxy powder coated and oven baked at temp. Above 200 deg. C to provide scratch resistance surface coating film of thickness 50-60 microns.
10. <u>The bidder must have undertaken one supply of bunk beds of value Rs 15.00 lakh in</u> <u>Govt/Semi Govt./Autonomous bodies/Central PSU/State Govt.</u>

A) **IMORTANT NOTES:-**

- I. <u>The online updated Price BOQ is in INR format. If bidder want to quote other than INR</u> please specify the quoted currency in the technical bid/part and fill the amount in same <u>updated BOQ.</u>
- II. <u>The Online bids should be submitted directly by the original manufacturer/Service Provider,</u> <u>If quotation is submitted/filled by any representative/agent/dealer then they must upload a</u> <u>authority certificate from the principal company.</u>
- III. <u>All MSME/NSIC/Startup Units shall be considered as per provisions/rules prescribed by</u> <u>Govt of India.</u>

IV. <u>Warranty: Minimum One year, where not specified above.</u>

B) SUBMISSION OF TENDER

- I. All bid/ tender documents are to be uploaded online at Central Public Procurement portal i.e. <u>https://eprocure.gov.in/eprocure/app</u> only and in the designated cover/ part on the website against tender ID. Tenders/ bids shall be accepted only through online mode and no manual submission of the same shall be entertained except tender fee and EMD. Late tenders will not be accepted.
- II. The online bids shall be opened at the office of the Assistant Registrar (P&S), IISER Mohali, on above given date and time. If the tender opening date happens to be on a holiday or non-working day due to any other valid reason, the tender opening process will be attended on the next working day at same time and place. IISER Mohali will not be responsible for any error like missing of schedule data while downloading by the Bidder.
- III. The bidder shall upload the tender documents duly filled in and stamped by the authorized signatory on each and every page. Tender not submitted/uploaded in the prescribed form and as per the tender terms and conditions shall be liable for rejection.
- IV. The bidder shall upload scanned copy of the PAN Card, GST number duly signed and stamped. Also bidders applying against 'MSME/NSIC Certificate" issued by appropriate Authority, should ensure that the certificate attached is relevant to the area of service/supply. For example, If the tender is for "supply & installation of Desktop" the certificate should be issued for activity/area of "Computer supply and services activities etc" otherwise bid will be REJECTED without notice.
- V. E-procurement system ensures locking on the scheduled date and time. The system will not accept any bid after the scheduled date and time of submission of bid.

C) INSTRUCTIONS

- 1. The Online bids should be submitted directly by the original manufacturer/supplier, If quotation is submitted/filled by any representative/agent/dealer then they must upload a authority certificate from the principal company for quoting the price otherwise such quotation will be rejected.
- 2. The quantity mentioned in this inquiry is and shall be deemed to be only approximate and will not in any manner be binding on the Institute. Before the deadline for submission of the online bid, IISER Mohali reserves the right to modify the tender document terms and conditions. Such amendment/modification will be notified on website against said tender ID.
- 3. The rates offered should be FOR Chandigarh/Mohali in case of firms situated outside Chandigarh/Mohali, and free delivery at the Institute premises in case of local firms. Supplier from outside India should mention the Ex-works/FOB/FCA/CIF/CIP price clearly. Conditional tenders will be summarily rejected.

- 4. In case of Ex-godown terms the amount of packaging forwarding freight etc. should clearly be indicated by percentage or lump sum amount. Institute has policy not to make any advance payments towards any purchase, Letter of credit can be opened if required.
- 5. THE INSTITUTE IS EXEMPTED FROM CUSTOM DUTY under notification no- TU/V/RG/- CDE(1062)/201 CUSTOM DT.30.08.2016.
- 6. Tax: This Institute is not exempted from the payment of GST. The current rate (i.e. percentage of GST should be clearly indicated included or excluded) wherever chargeable. Please also provide/upload the copy of PAN card, GST number duly self-attested.
- 7. Concessional GST is applicable for all the items purchased for Research labs vide Ministry of Finance, notification no. 45/22017 dated 14.11.2017 and 47/2017 dated 14.11.2017.
- 8. Bidder/s quoting in currency other than **Indian Rupee** (**INR**) should explicitly mention the currency in which tender quoted wherever applicable in <u>Technical Bid</u> along the tender documents.
- 9. The delivery period should be specifically stated. Earlier delivery will be preferred.
- 10. The firms are requested to provide/upload detailed description and specifications together with the detailed drawings, printed leaflets and literature of the article quoted. The name of the manufactures and country of manufacture should also invariably be stated. In the absence of these particulars, the quotation is liable for rejection.
- 11. Validity of offer: 90 days. The warranty period after satisfactory installation should be mentioned and firm should replace all manufacturing defect parts/ whole item under warranty without any extra cost including clearance, freight, taxes. Security deposit/ Bank Performance Guarantee @ 10 % of the value of supply order as per norms may be sought from the firms.
- 12. The right to reject all or any of the quotation and to split up the requirements or relax any or all the above conditions without assigning any reason is reserved by the IISER Mohali. For any corrigendum and addendum please be checked the website https://eprocure.gov.in/eprocure/app and https://eprocure.gov and https://eprocure.gov and https://eprocure.gov and https://eprocure.gov and https://eprocure.gov and https://eprocure.gov and https:
- 13. Disputes, if any, shall be subject to jurisdiction in the court of Mohali only.

-sd-(Mukesh Kumar) Assistant Registrar (P&S)