












Specs for furniture

S.N	Item	Specifications	Quantity	Picture
1	New Arrivals Display Rack	H-6'0" (18" height for storage cabinet and rest 4'6" for book display) made of 19mm thick commercial board / mdf board, both side laminated with acrylic sheet pockets for holding books. All edges will be in board covered with teak wood / PVC edge bending. All hardware (Hinges/ Handles/ Channels/ Locks) will be included respectively. Approx size 14'0"x6'0"	1	
2	Wall Mounted Display Rack	H- 6'0" and Depth- 12" made of 19mm thick commercial board / mdf board both side laminated, all edges covered with teak wood leaping / PVC edge bending. Including all hardware's, complete in all aspects. Approx size 2'0"x 6'0"	1	
3	AV Tower	Diameter 5'6" Height- 3'6" to 3'9" made of curved wooden legs covered with laminate / Decco paint , 2" thick wooden base covered with laminate / Decco paint. Top 1.5" thick wooden top partially 12mm thick glass finished with laminate / Decco paint, complete in all aspects.	2	
4	Wall Mounted Cupboard	File cabinet Depth-16",H-7'6" approximately made of 19 mm thick commercial board/mdf, front covered with shutters (partially glazed and solid) as per requirement, both side lamintaed. All edges covered with teak wood, leaping / PVC edge bending. All hardware's (Hinges/locks etc.,) will be included in all aspects. Approxmate size – 16'10"x7'6"=127 sft 21'0"x7'6"= 160 sft 21'6"x7'6"=162 sft		

S.N	Item	Specifications	Quantity	Picture
05	Reading Table	<p>Size – 1800 x 1200 x 770mm</p> <p>Table top 25 mm thick MDF board with 2 mm thick pvc beading, 18 mm thick perlaminated modesty panel, steel powder coated legs with provision of lights.</p> <p>The table top is supported on 40 x 40mm pipe frame suitably strengthened to make it rugged and also suitable to withstand vagaries of use. Reading space is to be provided with projected box at the centre with provision to fix lights to reflect uniform lighting level and also internet cable to pass through. . All steel parts shall be pretreated in 4-step anti-corrosion treatment (degreasing, pickling, phosphating, passivation) before being powder coated and baked in oven so as to achieve 40-50 micron thickness of the powder and a complete scratch resistant surface and superb finish. The table is provided with foot rest for all the readers and cladding of laminated board on sides and also along the length to lessen disturbance to the persons on either side of the table. Steel welding wherever required, is done by MIG/TIG welding process to minimize distortion and for the deep penetration of the weld. The floor to be cleaned properly.</p>	50	
06	Chairs for Sky library	Chair with arms, steel powder coated frame with plastic cane for outdoor study purpose and strong and enough to withstand UV rays,rain etc.	24	
07	Reading tables at Sky library	<p>Size – 30 "x30"</p> <p>Table with steel powder coated frame (40-50 micron) with toughened glass top of 12mm thickness, strong enough to withstand UV rays,rain etc.</p>	6	

08	Round Table	Round table 1200 mm dia, table top 25 mm thick prelaminated board with 2 mm thick PVC beading , table top supported on steel powder coated legs.	5	
09	Research Carrel	Research Carrels.60-65mm panel based partition systems. Overall structure made of aluminum extruded profiles. With top trim all profiles powder coated .Flat top and end covers. With 100m raceway for data & electrical wiring. Worktop 25mm thick supported on vertical poles & brackets and pedestals. With intermediate partitions. As per desired shadescolours.	6	
10	Executive Cubboard	Made of prelam water proof/fire proof particle board 19mmthick,main structure, With two glass shutters and 4 prelam shutters at the bottom with locking facility and SS handles. Open part with shelves all in 18mm thickness.	1	
11	Book Curve Rack “()” shape	Book Rack Curve type frame will be iron + board Size-6'X3'. Made of CRCA square sections of size 75mmX75mm powder coated with outer supports of square section. Double sided shelf with 18 guage thickness. Coverd by 18mm thick prelam particle board on sides, top and back. Shelves made of 25mm thick prelam particle board with provision of electrical points and bulbs. All as per OSHAS & BIFMA STANDERDS.	22 Curve”(“ and “) will be consider as one Unit	
12	Book Trolley	Book Trolley (Stainless Steel with 1” round / square pipe made of 14 guage and side & base of trolley also made with 14 guage and tubeless wheels) 30” L x 34”H x12” D	5	

Note :

1. All products OSHAS / BIFMA Certified
2. Prelam Board MERINO / GREEN/CENTURY
3. Hardware / fittings – Hettich /Ozone/Arch/Godrej