



IISER Mohali

भारतीय विज्ञान शिक्षा एवं अनुसंधान संस्थान मोहाली

मानव संसाधन एवं विकास मंत्रालय, भारत सरकार द्वारा स्थापित

सैक्टर 81, नॉलेज सिटी, पी. ओ. मनोली, एस. ए. एस. नगर, मोहाली, पंजाब –140306

INDIAN INSTITUTE OF SCIENCE EDUCATION AND RESEARCH MOHALI

(Established by Ministry of Human Resource Development, Govt. of India)

Sector-81, Knowledge city, PO-Manauli, SAS Nagar Mohali-140306, Punjab

PAN NO. - AAAAI1781K TAN NO. PTLI10692D

• Phone : +91-172-2293118-19 • Fax : +91-172-2240124, 2240266 • <http://www.iisermohali.ac.in> • Email: stores@iisermohali.ac.in

E-mail/CPPP /website

IISERM(50) 14/15 Pur.(3)

02nd June 2014

NOTICE INVITING QUOTATION

Dear Sir

Sealed Quotations in TWO BIDS SYSTEM (Technical & Financial) under separate envelope alongwith sample are invited on behalf of Director IISER Mohali for the purchase of following so as to reach latest by 24th June 2014 before 1 pm. The Quotations will be opened on the same day at 4 pm in the presence of tenderers, if any :-

Sr	Description	Qty
01	Slotted angle rack, made of iron material (and not stainless steel) Size : H 2100mm, W 900mm, and D 600mm- with powder coating- for storage	32
02	STOREWELL ALMIRAH BIG - SIZE:Height 1980mms, Width 915mms, Depth 486mms Supply of Steel Almirah big size manufactured from CRCA sheet conforming to IS: 513-1994 grade 'D' material. The CRCA sheet of uniform thickness and of 22 gauge for the body, 20 gauge for doors duly cut and bend with the help of CNC machines. The almirah shall be equipped with four adjustable shelves manufactured from 22 gauge CRCA sheet, thereby making five compartments in the Almirah. The steel shelf shall be capable of carrying a uniformly distributed load of 80 kgms. The almirah shall be provided with three hinges for each door having removable hinge pins. The feet height/ground clearance shall be 127 mms approx. Provides with three way locking system. All the steel components should be pre-treated for de-greasing, de-rusting and phosphating. After proper pre-treatment, the steel components should be epoxy powder coated and oven baked at temp. Above 200 deg. C to provide scratch resistance surface coating film thickness 45-50 microns. Color- prince grey	10
03	EXECUTIVE CHAIR High Back Executive Revolving chair should be ergonomically designed and powered with pneumatic system for seat height adjustments. The chair should be provided with push back and tilting facility. The seat and the back should be made from 15mm thick compressed ply cushioned with high density polyurethane foam and upholstered with high quality PU Rexene to give maximum cushioning effect and provides a complete support to the spine thus eliminating stress on account of prolonged sitting. Pressure die-cast aluminum arms rests are provided & should be fixed to the main frame with high tensile Allen- bolts. Chair should have tilt tension adjustment mechanism for comfortable reclining. Upright locking facility allows for concentrated working with full back support and tilt lock mechanism. The seat should be provided with 360 deg. Swiveling mechanism. The seat height is adjusted with a lever which operates the pneumatic cylinder should be fitted in the centre of the pressure die-cast aluminum base reinforced molded 5 leg base. The base is fitted with 5 nos. of Twin wheel casters of 50 mm dia. made of nylon on each leg. Powder coat thickness- 50±5micron .	05
04	VISITOR CHAIR WITH CUSHIONED SEAT AND NETTING BACK Visitor chair seat should be made from seat is made of 15 mm hot pressed ply wood should be provided in black netting so as to provide comfort to the person's back. Provided with arms. Frame should be made from 25 dia CRC A pipe and should be powder coated thickness 50±5MICRON,.	30

05	STOREWELL ALMIRAH BIG - SIZE:Height 1980mms, Width 915mms, Depth 486mms Supply of Steel Almirah big size manufactured from CRCA sheet conforming to IS: 513-1994 grade 'D' material. The CRCA sheet of uniform thickness and of 22 gauge for the body, 20 gauge for doors duly cut and bend with the help of CNC machines. The almirah shall be equipped with four adjustable shelves manufactured from 22 gauge CRCA sheet, thereby making five compartments in the Almirah. The steel shelf shall be capable of carrying a uniformly distributed load of 80 kgms. The almirah shall be provided with three hinges for each door having removable hinge pins. The feet height/ground clearance shall be 127 mms approx. Provides with three way locking system. All the steel components should be pre-treated for de-greasing, de-rusting and phosphating. After proper pre-treatment, the steel components should be epoxy powder coated and oven baked at temp. Above 200 deg. C to provide scratch resistance surface coating film thickness 45-50 microns.	05
06	Task Chair with arms (7032) , colour – carbon black	02
07	Waiting Area Chairs , SS set of 3 chairs	07
08	T9 table	05
09	T8 Table	05

NB : Sample will be required alongwith the quotation for above items , Quantity may be increased or decreased.

Yours faithfully,
Sd/-
(Mukesh Kumar)
Assistant Registrar (S&P)

INSTRUCTIONS

- x Inquiry will be sent by UPC/Courier/Speed Post and IISER Mohali will not be liable for any kind of Postal delay.
- x The Quotation should be addressed to the Director IISER Mohali invariably giving on the envelop Reference No. with date and Due date with time.
- x One time importers from China with custom made specifications are highly discouraged.
- x The quantity mentioned in this inquiry is and shall be deemed to be only approximate and will not in any manner be binding on the Institute.
- x Firms will quote separately for each article.
- x The rates offered should be FOR Chandigarh in case of firms situated outside Chandigarh and free delivery at the Institute premises in case of local firms.
- x In case of Ex-godown terms the amount of packaging forwarding freight etc should clearly be indicated by percentage or lump sum amount. Current rate of sales Tax/VAT must be mentioned.
- x In case of foreign consignment CIF/FOB should be mention clearly. THE INSTITUTE IS EXEMPTED FROM EXCISE AND CUSTOM DUTY.
- x SALES TAX :- This Institute is not exempted from the payment of Sales Tax/Service Tax/VAT. The rate (i.e. percentage of Sales Tax should be clearly indicated included or excluded) wherever chargeable.
- x The delivery period should be specifically stated. Within 25-30 days delivery may be preferred.
- x The firms are requested to give detailed description and specifications together with the detailed drawings, printed leaflets and literature of the Article quoted. The name of the manufactures and country of manufacture should also invariably be stated in the absence of these particulars the quotation is liable for rejection.
- x Samples wherever asked for will not be paid for these should be delivered in the office of the undersigned securely labeled and packed. In case of terms who submit the samples through Railways/Road transport the freight should be prepaid and RR should be in favour of Stores and Purchase of IISER Mohali.
- x Quotation should have minimum validity of 60 days from the date of opening.
- x The rates quoted should be in metric units otherwise your quotation is liable to be ignored.
- x Late or delayed quotation will not be accepted.
- x The right to reject all or any of the quotation and to split up the requirements or relax any or all the above conditions without assigning any reason is reserved.