



भारतीय विज्ञान शिक्षा एवं अनुसंधान संस्थान मोहाली

मानव संसाधन एवं विकास मंत्रालय, भारत सरकार द्वारा स्थापित
सैक्टर 81, नॉलेज सिटी, पी. ओ. मनोली, एस. ए. एस. नगर, मोहाली, पंजाब –140306

INDIAN INSTITUTE OF SCIENCE EDUCATION AND RESEARCH MOHALI

(Established by Ministry of Human Resource Development, Govt. of India)

Sector-81, Knowledge city, PO-Manauli, SAS Nagar Mohali-140306, Punjab

PAN NO. - AAAAI1781K TAN NO. PTLI10692D

• Phone : +91-172-2293118-19 • Fax : +91-172-2240124, 2240266 • <http://www.iisermohali.ac.in> • Email: stores@iisermohali.ac.in

IISER Mohali

E-mail/CPMP /website

IISERM(429) 14/15 Pur

11th November 2014

NOTICE INVITING QUOTATION

Dear Sir

Sealed Quotations are invited on behalf of Director IISER Mohali for the purchase of following items so as to reach latest by 25th November 2014 before 1 pm. The Quotations will be opened on the same day at 4 pm in the presence of tenderers, if any :-

Sr	Description	Qty
01	<p>WALL SIDE MODULAR LABORATORY TABLE Overall Dimension: 8600mm (L) x 750mm(D)x 875mm (H)</p> <p>Modular Lab Table shall consist of 2 nos storage module of 600mm (L) having having one drawer twin swing door, 4 nos storage module of 600mm (L) having twin swing door. 1 nos storage module of 750mm (L) having twin swing door, 3 nos storage cabinet of 450mm (L) having one drawer & below it a swing door, 3 nos leg space of 600mm (L), 1 no corner unit of 900 x 900mm having one swing door and 8 nos wall mounting cabinet of size 680mm L x 345mm D x 600mm Ht having one fixed shelf. Storage cabinet's shutter of lab table shall be provided with locking facility. The body of Storage cabinet should be made of 0.8mm thick CRCA sheet having double side walls and door should be 15mm thick with square edges made of 1mm thick CRCA MS sheet. The swing doors should be affixed with double crank steel hinges. Handles of the shutter should be PVC recessed. Each storage cabinet and sink module shall be provided with base frame made from 30 x 30 x 1.2mm CRCA square pipe having nylon level adjusters. Top of the lab table shall be in black granite supported underneath with 11mm thick BWR ply. All the Sharp corner edges of the granite should be rounded off. The complete MS materials of laboratory table are pre-treated and epoxy powder coated for better corrosion resistant. Thickness of the powder coating shall be 40 to 50 micron. WALL SIDE MODULAR LABORATORY TABLE FOR PRACTICAL LAB</p>	01
02	<p>Overall Dimension: 4425mm (L) x 750mm(D)x 838mm (H)</p> <p>Modular Lab Table shall consist of, 6 nos storage cabinet of 450mm (L) having one drawer & below it a swing door, 3 nos storage cabinet of 450mm (L) having a swing door with lock, one adjustable shelf and one SS sink at the corner. Storage cabinets only swing door of lab table shall be provided with locking facility. The body of Storage cabinet should be made of 0.8mm thick CRCA sheet having double side walls and door should be 15mm thick with square edges made of 1mm thick CRCA MS sheet. The swing doors should be affixed with double crank steel hinges. Handles of the shutter should be PVC recessed. Each storage cabinet and sink module shall be provided with base frame made from 30 x 30 x 1.2mm CRCA square pipe having nylon level adjusters. Top of the lab table shall be 18 mm thick black granite supported underneath with 11 mm thick BWR ply. All the Sharp corner edges of the granite should be rounded off. The complete MS materials of laboratory table are pre-treated and epoxy powder coated for better corrosion resistant. Thickness of the powder coating shall be 40 to 50 micron.</p>	01

03	<p>WALL MOUNTING STORAGE CABINET Size: 680mm L x 345mm D x 600m Ht The body of the storage cabinet with locking facility should be made from 22 SWG CRCA sheet and doors' frame from 20 SWG CRCA sheet & 4 mm thick glass, having one fixed shelf in the middle thus making two storage compartments with locking arrangement. Doors should be fixed with double crank steel hinges and to be provided with stainless steel handles. The complete MS materials of laboratory table are pre-treated and epoxy powder coated for better corrosion resistant. Thickness of the powder coating shall be 40 to 50 micron.</p>	15
04	<p>OFFICE TABLE Size: 914mm L x 600mmD x 750mm Ht Top of the table is made from 25 mm thick MDF board. The front side of the top is post-formed with laminated. Table frame is made from 25 x 50 x 1.2 & 25 x 25 x 1.2 mm CRCA pipe. Table is Provided with storage cabinet having one drawer with locking facility & swing door with locking arrangement. The complete MS materials of laboratory table are pre-treated and epoxy powder coated for better corrosion resistant. Thickness of the powder coating shall be 40 to 50 micron.</p>	06

Yours faithfully,
Sd/-
(Mukesh Kumar)
Assistant Registrar (S&P)

INSTRUCTIONS

1. Inquiry will be sent by UPC/Courier/Speed Post and IISER Mohali will not be liable for any kind of Postal delay.
2. The Quotation should be addressed to the Director IISER Mohali invariably giving on the envelop Reference No. with date and Due date with time.
3. One time importers from China with custom made specifications are highly discouraged.
4. The quantity mentioned in this inquiry is and shall be deemed to be only approximate and will not in any manner be binding on the Institute.
5. Firms will quote separately for each article.
6. The rates offered should be FOR Chandigarh/Mohali in case of firms situated outside Chandigarh/Mohali, and free delivery at the Institute premises in case of local firms. Supplier outside India please mentioned the FOB/FCA price clearly.
7. In case of Ex-godown terms the amount of packaging forwarding freight etc should clearly be indicated by percentage or lump sum amount. Institute has policy not to make any advance payment towards any purchase, Letter of credit can be open if required.
8. In case of foreign consignment CIF/FOB should be mention clearly. **THE INSTITUTE IS EXEMPTED FROM EXCISE AND CUSTOM DUTY/SERVICE TAX**
9. **SALES TAX :-** This Institute is not exempted from the payment of Sales Tax/Service Tax/VAT. The current rate (i.e. percentage of Sales Tax should be clearly indicated included or excluded) wherever chargeable.
10. The delivery period should be strictly adhered, the earlier supply will be preferred.
11. The firms are requested to give detailed description and specifications together with the detailed drawings, printed leaflets and literature of the Article quoted. The name of the manufactures and country of manufacture should also invariably be stated in the absence of these particulars the quotation is liable for rejection.
12. Validity of offer: 90 days.
13. Late or delayed quotation will not be accepted.
14. Service Facility: Please mention the nearest service centre to IISER Mohali and the time required to attend the call
15. The right to reject all or any of the quotation and to split up the requirements or relax any or all the above conditions without assigning any reason is reserved.