

भारतीय विज्ञान शिक्षा एवं अनुसंघान संस्थान मोहाली

मानव संसाधन एंव विकास मंत्रालय, भारत सरकार द्वारा स्थापित सैक्टर 81, नॉलेज सिटी, पी. ओ. मनोली, एस. ए. एस. नगर, मोहाली, पंजाब –140306 INDIAN INSTITUTE OF SCIENCE EDUCATION AND RESEARCH MOHALI

Sector-81, Knowledge city, PO-Manauli, SAS Nagar Mohali-140306, Punjab PAN NO. - AAAAI1781K TAN NO. PTLI10692D

• Phone: +91-172-2240086,2240121 • Fax: +91-172-2240124, 2240266 • http://www.iisermohali.ac.in • Email: stores@iisermohali.ac.in

E-mail/CPPP/website

IISERM(632)15/16 Pur

15th February 2016

NOTICE INVITING QUOTATION

Sealed Quotations are invited on behalf of The Director IISER Mohali for following items along with EMD money by DD /Banker Cheque/ FDR/ Bank guarantee for Rs 5000/- and tender fee of Rs 500/-(separately non re-fundable) in favour of the Registrar, IISER Mohali, payable at Mohali/Chandigarh so as to reach us latest by <u>08.03.2016</u> before 1pm and will be opened on the same day at 4pm. in the presence of tenderers, if any:-

Sr.	Description	Qty
01	Bench top centrifuge machine with following features:	01
	Speed of the machine: atleast upto 20000 RPM	
	Microprocessor control with Interactive LCD display	
	Menu driven ten programme memory	
	Choice of High brake, low brake and coasting	
	Imbalance high detector with cutoff	
	Safety lid interlock to prevent cover opening during centrifugation	
	Automatic unique safety rotor identification system	
	Speed holding accuracy 100 RPM	
	Self-diagnosis for errors.	
	To work on 220 volts Ac	
	Rotor heads:	
	Rotor head for multiple 1.5 ML Polypropylene Tubes	01
	Angle Head for atleast 8 Falcon Tubes of capacity 15 mL	01
	Angle Head for atleast 6 Falcon Tubes of capacity 50 mL	01
	Wind Shield Swing out Heads complete with metal carriers for about 20 mL tubes	01

-sd-(Mukesh Kumar) Assistant Registrar (S&P)

INSTRUCTIONS

- 1. The Quotation should be addressed to the Assistant Registrar (S&P), IISER Mohali invariably giving on the envelop Reference number with due date and time of submission of quotation.
- 2. One time importers from China with custom made specifications are highly discouraged.
- 3. The quantity mentioned in this inquiry is and shall be deemed to be only approximate and will not in any manner be binding on the Institute.
- 4. The rates offered should be FOR Chandigarh/Mohali in case of firms situated outside Chandigarh/Mohali, and free delivery at the Institute premises in case of local firms. Supplier outside India please mentions the Ex-works/FOB/FCA/CIF/CIP price clearly.
- 5. In case of Ex-godown terms the amount of packaging forwarding freight etc should clearly be indicated by percentage or lump sum amount. Institute has policy not to make any advance payments towards any purchase, Letter of credit can be opened if required.
- 6. THE INSTITUTE IS EXEMPTED FROM EXCISE AND CUSTOM DUTY.
- 7. SALES TAX: This Institute is not exempted from the payment of Sales Tax/Service Tax/VAT. The current rate (i.e. percentage of Sales Tax should be clearly indicated included or excluded) wherever chargeable.
- 8. The delivery period should be specifically stated. Earlier delivery will be preferred
- 9. The firms are requested to give detailed description and specifications together with the detailed drawings, printed leaflets and literature of the article quoted. The name of the manufactures and country of manufacture should also invariably be stated. In the absence of these particulars, the quotation is liable for rejection.
- 10. Validity of offer: 90 days. Firm should replace all manufacturing defect parts/ whole item under warranty period without any extra cost including clearance, freight, taxes. Security deposit/ Bank Performance guarantee for 10 % of the value of supply order as per norms may be sought from firms.
- 11. Late or delayed quotation will not be accepted.
- 12. The right to reject all or any of the quotation and to split up the requirements or relax any or all the above conditions without assigning any reason is reserved. For any corrigendum and addendum please regularly visit our website.

2/2