



भारतीय विज्ञान शिक्षा एवं अनुसंधान संस्थान मोहाली

मानव संसाधन एवं विकास मंत्रालय, भारत सरकार द्वारा स्थापित
सैक्टर 81, नॉलेज सिटी, पी. ओ. मनोली, एस. ए. एस. नगर, मोहाली, पंजाब –140306
INDIAN INSTITUTE OF SCIENCE EDUCATION AND RESEARCH MOHALI
Sector-81, Knowledge city, PO-Manauli, SAS Nagar Mohali-140306, Punjab

IISER Mohali

PAN NO. - AAAAI1781K TAN NO. PTLI10692D

• Phone : +91-172-2240086, 2240121 • Fax : +91-172-2240124, 2240266 • <http://www.iisermohali.ac.in> • Email: stores@iisermohali.ac.in

E-mail/website/Newspapers/CPPP

IISERM(665)16/17 Pur

27th April 2016

TENDER NOTICE

On the behalf of Director, IISER-Mohali, sealed tenders in **TWO BID SYSTEM** {Technical and Commercial separate} are invited, for purchase of following item along with EMD money by DD /Banker Cheque/FDR/ Bank guarantee for Rs 20,000/- and tender fee of Rs 500/- (non-refundable) through DD in favour of the Registrar, IISER Mohali, so as to reach us latest by **16th May 2016** before 1 pm and will be opened on the same day at 4pm.

Sr	Description	Qty
01	SITC of Air Cooled VRV/VRF units suitable for Cooling/Heating by inverter driven capacity control compressor outdoor unit having minimum COP at 100% load to be 3.5. VRV/VRF with scroll Compressor capable of modulating capacity .i.e it should be able to vary speed of the compressor as per the varying load conditions and works on R410A with heating & cooling both. The outdoor unit shall be a factory assembled unit housed in a sturdy weather proof casing constructed from rust-proofed mild steel panels coated with powder coated finish.The outdoor unit shall have single or multiple scroll compressors and be able to operate even in case of breakdown of one of compressor. Each unit shall be equipped, with an oil separator to ensure stable operation with long refrigerant piping. 16 HP to keep the ambient conditions around 24 ^o C., (Make- LG/Samsung/Blue Star/Voltas/Hitachi/Toshiba)	02 Nos
02	Copper pipe - 06MM Copper pipe - 09MM Copper pipe - 12MM Copper pipe - 15MM Copper pipe - 19MM Copper pipe - 22MM Copper pipe - 25MM Copper pipe – 28MM (Copper piping MAKE-RYOKU/MET TUBE/TOTALINE/ MEHTATUBE)	55 Mtr 45Mtr 45Mtr 55Mtr 30Mtr 30Mtr 30Mtr 30Mtr
03	Nitrile pipe section insulation as per copper pipe size. PVC drain pipe 32MM PVC drain pipe 25MM PVC drain pipe 25mm (All MAKE-RELANCE/FINOLEX/ASTRA)	250Mtr 160Mtr 140Mtr
Term & Conditions: 1. Bids to be submitted in two stage (Technical & Financial) otherwise the bids shall be rejected. 2. The agency must have completed at least one work of 80% of value of the estimated cost in the Govt. 3. The agency to be OEM/Authorized dealer of above Makes of ODU's. 4. The quantity of copper pipe & PVC pipe can increase or decrease & the payment will be made on actual basis.		

-sd-

(Mukesh Kumar)
Assistant Registrar (S&P)

INSTRUCTIONS

1. The Quotation should be addressed to the Assistant Registrar (S&P), IISER Mohali should on the top of the envelope invariably give Reference number with due date and time of submission of quotation. Quotation should be submitted directly by the original manufacturer/supplier, If quotation is submitted by any representative/agent/dealer then they must have to produce a authority certificate of principal party for quotating the price otherwise it will be very difficult at this end to consider such quotation.
2. One time importers from China with custom made specifications are highly discouraged.
3. The quantity mentioned in this inquiry is and shall be deemed to be only approximate and will not in any manner be binding on the Institute. Before the deadline for submission of the bid, IISER Mohali reserves the right to modify the bidding document and to extend or not to extend the date of submission. Such amendment/modification will be notified to bidders receiving the bidding document in writing or fax/ email and will also be hosted on IISER Mohali website.
4. The rates offered should be FOR Chandigarh/Mohali in case of firms situated outside Chandigarh/Mohali, and free delivery at the Institute premises in case of local firms. Supplier from outside India should mention the **Ex-works/FOB/FCA/CIF/CIP** price clearly. Conditional tenders will be summarily rejected
5. In case of Ex-godown terms the amount of packaging forwarding freight etc should clearly be indicated by percentage or lump sum amount. Institute has policy **not to make any advance payments** towards any purchase, Letter of credit can be opened if required.
6. THE INSTITUTE IS EXEMPTED FROM EXCISE AND CUSTOM DUTY under notification no-51/96 –CUSTOM DATED 23/7/1996 AND DSIR REGISTRATION NO TU/V/RG/-CDE(1062)/2011 DT. 02/09/2011 / EXCISE NOTIFICATION NO. 10/97- CENTRAL EXCISE DT. 01.03.1997
7. TAX: - This Institute is not exempted from the payment of Sales Tax/Service Tax/VAT. The current rate (i.e. percentage of Sales Tax should be clearly indicated included or excluded) wherever chargeable. Please also provide the copy of PAN card, TIN number, Service tax number, Sales tax number duly self-attested.
8. The delivery period should be specifically stated. Earlier delivery will be preferred
9. The firms are requested to give detailed description and specifications together with the detailed drawings, printed leaflets and literature of the article quoted. The name of the manufactures and country of manufacture should also invariably be stated. In the absence of these particulars, the quotation is liable for rejection.
10. Validity of offer: 90 days. The warranty period after satisfactory installation should be mentioned and firm should replace all manufacturing defect parts/ whole item under warranty without any extra cost including clearance, freight, taxes. Security deposit/ Bank Performance Guarantee for 10 % of the value of supply order as per norms may be sought from firms.
11. Late or delayed quotation will not be accepted.
12. The right to reject all or any of the quotation and to split up the requirements or relax any or all the above conditions without assigning any reason is reserved. For any corrigendum and addendum our website may please be checked regularly.